

**INFORMATION
DISCLOSURE
STATEMENT**

Atty. Docket No.: 290.00090101

Serial No.: 09/640,952

Applicant(s): Kinch et al.

Confirmation No.: 3252

Application Filing Date: 17 August 2000

Group: 1642

Information Disclosure Statement mailed:

24 March 2003


U.S. PATENT DOCUMENTS

| Examiner Initial | Document Number | Date | Name | Class | Subclass | Filing Date If Appropriate |
|------------------|-----------------|------------|----------------|-------|----------|----------------------------|
| KAC | 4,704,692 | 11/03/1987 | Ladner | | | |
| ↓ | 4,816,567 | 03/28/89 | Cabilly et al. | | | |
| ↓ | US 2001/0031252 | 10/18/01 | Low et al. | | | |

FOREIGN PATENT DOCUMENTS

| Examiner Initial | Document Number | Date | Country | Class | Subclass | Translation | |
|------------------|-----------------|----------|---------|-------|----------|-------------|----|
| | | | | | | Yes | No |
| KAC | WO 94/04679 | 03/03/94 | PCT | | | | |
| ↓ | WO 94/29348 | 12/22/94 | PCT | | | | |
| ↓ | WO 01/12840 A2 | 02/22/01 | PCT | | | | |
| ↓ | WO 01/12840 A3 | 02/22/01 | PCT | | | | |

OTHER DOCUMENTS (Including Authors, Title, Date, Pertinent Papers, etc.)

| Examiner Initial | Document Description |
|------------------|--|
| KAC | Aasheim et al. "A splice variant of human ephrin-A4 encodes a soluble molecule that is secreted by activated human B lymphocytes." <i>Blood</i> . 2000;95(1):221-30. |
| ↓ | Abrahmsen et al., "Engineering Subtilisin and Its Substrates for Efficient Ligation of Peptide Bonds in Aqueous Solution," <i>Biochemistry</i> , 1991;30:4151-4159. |
| ↓ | Angrist et al. "Chromosomal Localization of the Mouse Src-like Adapter Protein (Slap) Gene and Its putative Human Homolog SLA, <i>Genomics</i> 1995;30:623-625. |
| ↓ | Baggiolini et al., "Interleukin-8, a chemotactic and inflammatory cytokine," <i>FEBS Lett.</i> , 1992; 307(1):97-101. |
| ↓ | Baggiolini et al. "Interleukin-8 and the Chemokine Family" <i>Int. J. Immunopharmac</i> 1995;17(2):103-108 |
| ↓ | Behrens et al., "Cell-cell adhesion in invasion and metastasis of carcinomas," <i>Cancer Treat. Res.</i> , 1994; 71:251-266. |

EXAMINER

Karen A. Garella

Date Considered

6/13/03

*Examiner: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

**INFORMATION
DISCLOSURE
STATEMENT**

Atty. Docket No.: 290.00090101

Serial No.: 09/640,952

Applicant(s): Kinch et al.


Confirmation No.: 3252

Application Filing Date: 17 August 2000

Group: 1642

Information Disclosure Statement mailed:

24 March 2003



| Examiner | Document Description |
|----------|---|
| | Boerner et al. "Production of antigen-Specific Human Monoclonal Antibodies from in vitro-primed Human Splenocytes", <i>J. Immunol.</i> , 1991; 147(1):86-95. |
| | Bohme et al. "PCR mediated detection of a new human receptor-tyrosine-kinase, HEK 2." <i>Oncogene</i> . 1993;8(10):2857-62. |
| | Bowie et al. "Deciphering the Message in Protein Sequences: Tolerance to Amino Acid Substitutions" <i>Science</i> 247:1306-1310. |
| | Brady-Kalnay et al., "Dynamic Interaction of PTP μ with Multiple Cadherins In Vivo" <i>J. Cell Biol.</i> , 1998; 141:287-296. |
| | Burgess et al. "Possible Dissociation of the Heparin-binding Mitogenic Activities of Heparin-binding (Acidic Fibroblast) Growth Factor-1 from Its Receptor-binding Activities by Site-directed Mutagenesis of a Single Lysine Residue" <i>J. Cell Biology</i> 1990;111:2129-2138. |
| | Burridge et al., "Focal adhesions: transmembrane junctions between the extracellular matrix and the cytoskeleton," <i>Annu. Rev. Cell Dev. Biol.</i> , 1988; 4:487-525. |
| | Burridge et al., "Focal adhesions, contractility, and signaling," <i>Annu. Rev. Cell Dev. Biol.</i> , 1996; 12:463-518. |
| | Carles-Kinch "Antibody Targeting of the EphA2 Tyrosine Kinase Inhibits Malignant Cell Behavior," <i>Cancer Research</i> 2002;62:2840-2847. |
| | Carter et al., "Humanization of an anti-p185 ^{HER2} antibody for human cancer therapy," <i>Proc. Natl. Acad. Sci. USA</i> , 1992;89:4285-4289. |
| | Chen et al. "An enhancer element in the EphA2 (Eck) gene sufficient for rhombomere-specific expression is activated by HOXA1 and HOXB1 homeobox proteins." <i>J Biol Chem</i> . 1998;273(38):24670-5. |
| | Chen et al. "Germ-line inactivation of the murine Eck receptor tyrosine kinase by gene trap retroviral insertion." <i>Oncogene</i> 1996;12(5):979-88. |
| | Chen et al., "Integrin-mediated cell adhesion activates mitogen-activated protein kinases," <i>J. Biol. Chem.</i> , 1994;269:26002-26005. |
| | Chothia et al., "Canonical Structures for the Hypervariable Regions of Immunoglobulins," <i>J. Mol. Biol.</i> , 1987;196:901-917. |

EXAMINER**Date Considered**

*Examiner: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

**INFORMATION
DISCLOSURE
STATEMENT**

MAR 24 2003

Atty. Docket No.: 290.00090101

Serial No.: 09/640,952

Applicant(s): Kinch et al.

Confirmation No.: 3252

Application Filing Date: 17 August 2000

Group: 1642

Information Disclosure Statement mailed:

24 March 2003

| Examiner Initial | Document Description |
|---------------------|--|
| | Clark et al. "Aberrant function of the Ras signal transduction pathway in human breast cancer" <i>Breast Cancer Res. Treat.</i> 1995;35(1):133-144. |
| | Clark et al., "The Ras-related protein Fheb is farnesylated and antagonizes Ras signaling and transformation," <i>J. Biol. Chem.</i> , 1997; 272:10608-10615. |
| | Clark-Lewis et al. "Chemical Synthesis, Purification, and Characterization of Two Inflammatory Proteins, Neutrophil Activating Peptide 1 (Interleukin-8) and Neutrophil Activating Peptide 2, <i>Biochemistry</i> 1991;30:3128-3135. |
| | Clark-Lewis et al. "Structural Requirements for Interleukin-8 Function Identified by Design of Analogs and CXC Chemokine Hybrids, <i>J. Biol. Chem.</i> , 1994;269:16075-16081. |
| | Connor et al. "Expression and tyrosine phosphorylation of Eph receptors suggest multiple mechanisms in patterning of the visual system." <i>Dev Biol.</i> 1998;193(1):21-35. |
| | Curti "Physical barriers to drug delivery in tumors" <i>Critical Reviews in Oncology/Hematology</i> 1993;14:29-39. |
| | D'Amico "Predicting the Sites of Metastasis Form Lung Cancer Using Molecular Biologic Markets" <i>Ann. Thorac. Surg.</i> 2001;72:1144-8. |
| | Dawson et al., "Synthesis of Proteins by Native Chemical Ligation," <i>Science</i> , 1994;266:776-779. |
| | deLisle et al., <i>Techniques in Protein Chemistry IV</i> , Academic Press, New York, 1992, pp. 257-267. |
| | Dermer "Another Anniversary for the War on Cancer" <i>Bio/Technology</i> 1994;12:320. |
| | Easty et al. "Up-regulation of ephrin-A1 during melanoma progression." <i>Int J Cancer.</i> 1999;84(5):494-501. |
| | Fenrick "TEL, a Putative Tumor Suppressor, Modulates Cell Growth and Cell Morphology of Ras-Transformed Cells While Repressing the Transcription of <i>stromelysin-1</i> " <i>Molecular and Cellular Biology</i> 2000;20(6):5828-5839. |
| | Ferrone et al., eds., <i>Handbook of Monoclonal Antibodies</i> , Noges Publications, Park Ridge, N.J., 1985. Chapter 22 and 303-357. |

EXAMINER**Date Considered**

*Examiner: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

**INFORMATION
DISCLOSURE
STATEMENT**

Atty. Docket No.: 290.00090101

Serial No.: 09/640,952

Applicant(s): Kinch et al.

Confirmation No.: 3252

Application Filing Date: 17 August 2000

Group: 1642

Information Disclosure Statement mailed:

24 March 2003

MAR 24 2003

| Initial | Document Description |
|---------|--|
| | Foulkes et al. "Purification and characterization of a protein-tyrosine kinase encoded by the Abelson murine leukemia virus <i>J. Biol. Chem.</i> 1985; 260:8070-8077. |
| | Freshney <i>Culture of Animal Cells. A Manual of Basic Technique</i> 1983;3-4 |
| ✓ | Gale et al., "Eph receptors and ligands comprise two major specificity subclasses and are reciprocally compartmentalized during embryogenesis," <i>Neuron</i> , 1996;17:9-19. |
| | Ganju et al. "The Eck receptor tyrosine kinase is implicated in pattern formation during gastrulation, hindbrain segmentation and limb development." <i>Oncogene</i> . 1994;9(6):1613-24. |
| ✓ | Geiger et al., "Cadherins," <i>Annu. Rev. Cell Biol.</i> , 1992;8:307-332. |
| ✓ | George et al., "The VAB-1 Eph receptor tyrosine kinase functions in neural and epithelial morphogenesis in <i>C. Elegans</i> ," <i>Cell</i> , 1998; 92:633-643. |
| ✓ | Goding, <i>Monoclonal Antibodies: Principles and Practice</i> , Academic Press, 1986, cover page and pp. 59-103. |
| ✓ | Gura "Systems for Identifying New Drugs are Often Faulty <i>Science</i> 1997;278:1041-1042. |
| | Helbling et al. "Requirement for EphA receptor signaling in the segregation of <i>Xenopus</i> third and fourth arch neural crest cells." <i>Mech Dev.</i> 1998;78(1-2):63-79. |
| ✓ | Henkeneyer et al., "Nuk controls pathfinding of commissural axons in the mammalian central nervous system," <i>Cell</i> , 1996; 86:35-46. |
| ✓ | Hoogenboom et al., "By-passing Immunisation Human Antibodies from Synthetic Repertoires of Germline V _H Gene Segments Rearranged <i>in Vitro</i> " <i>J. Mol. Biol.</i> , 1991;227:381-388. |
| | Hunter et al. "Novel receptor protein-tyrosine kinases" <i>Adv Second Messenger Phosphoprotein Res.</i> 1990;24:260-5. |
| | Hunter et al. "Receptor protein tyrosine kinases and phosphatases." Cold Spring Harb Symp Quant Biol. 1992;57:25-41. |
| ✓ | Hutchcroft, "B lymphocyte activation is accompanied by phosphorylation of a 72-kDa protein-tyrosine kinase," <i>J. Biol. Chem.</i> , 1991;266:2595-14849. |

EXAMINER**Date Considered**

*Examiner: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

**INFORMATION
DISCLOSURE
STATEMENT**

MAR 24 2003

Atty. Docket No.: 290.00090101

Serial No.: 09/640,952

Applicant(s): Kinch et al.

Confirmation No.: 3252

Application Filing Date: 17 August 2000

Group: 1642

Information Disclosure Statement mailed:

24 March 2003

| Examiner Initial | Document Description |
|---------------------|---|
| | Jain "Barriers to Drug Delivery in Solid Tumors" <i>Scientific American</i> , 1994;58-65. |
| | Jakobovits et al., "Analysis of homozygous mutant chimeric mice: Deletion of the immunoglobulin heavy-chain joining region blocks B-cell development and antibody production" <i>Proc. Natl. Acad. Sci. USA</i> , 1993; 90:2551-2555. |
| | Jakobovits et al., "Germ-like transmission and expression of a human-derived yeast artificial chromosome" <i>Nature</i> , 1993;362:255-258. |
| | Jones, "Replacing the complementarity-determining regions in a human antibody with those from a mouse" <i>Nature</i> 1986;321:522-525. |
| | Khosravi-Far et al. "Activation of Rac1, RhoA, and Mitogen-Activated Protein Kinases Is Required for Ras Transformation" <i>Molecular and Cellular Biology</i> 1995;15(11)6443-6453. |
| | Kikawa et al. "Regulation of the EphA2 kinase by the low molecular weight tyrosine phosphatase induces transformation." <i>J Biol Chem.</i> 2002;277(42):39274-9. |
| | Kinch et al., "Altered adhesions in ras-transformed breast epithelial cells," <i>Biochem. Soc. Trans.</i> , 1995;23:446-450. |
| | Kinch et al., "Cell adhesion mediated by CD4 and MHC class II proteins requires active cellular processes," <i>J. Immunol.</i> , 1993; 151:4552-4561. |
| | Kinch et al., "Cytometric analysis of cell contact and adhesion," <i>Cytometry</i> , Darzynkiewicz et al., Eds., 3 rd Ed. Academic Press, San Diego, CA, 2000. |
| | Kinch et al. "E-cadherin engagement stimulates tyrosine phosphorylation" <i>Cell Adhes. Commun.</i> 1997;4:425-437. |
| | Kinch et al., "The protein tyrosine kinase p56 ^{lck} regulates cell adhesion mediated by CD4 and MHC class II proteins," <i>J. Exp Med.</i> , 1994; 180:1729-1739. |
| | Kirk et al., "The human anti-porcine cell mediated response: In vitro studies of function and molecular interaction," <i>Transplant</i> , 1993; 55(4):924-931. |
| | Kohler et al. "Continuous culture of fused cells secreting antibody of predefined specificity" <i>Nature</i> 1975;256:495-497. |

| | |
|---|------------------------|
| EXAMINER | Date Considered |
| <p>*Examiner: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.</p> | |

**INFORMATION
DISCLOSURE
STATEMENT**

Atty. Docket No.: 290.00090101

Serial No.: 09/640,952

Applicant(s): Kinch et al.

Confirmation No.: 3252

Application Filing Date: 17 August 2000

Group: 1642

Information Disclosure Statement mailed:

24 March 2003

| Examiner Initial | Document Description |
|---------------------|--|
| | Kozbor et al., "A Human Hybrid Myeloma for Production of Human Monoclonal Antibodies," <i>J. Immunol.</i> , 1984; 133:3001-3005. |
| | Lazar et al. "Transforming Growth Factor : Mutation of Aspartic Acid 47 and Leucine 48 Results in Different Biological Activities" <i>Molecular and Cellular Biology</i> 1998;8(3):1247-1252. |
| | Lickliter et al. "Embryonic stem cells express multiple Eph-subfamily receptor tyrosine kinases." <i>Proc Natl Acad Sci U S A.</i> 1996;93(1):145-50. |
| | Marks et al. "By-passing immunization. Human antibodies from V-gene libraries displayed on phage." <i>J Mol Biol.</i> 1991;222(3):581-97. |
| | Maru et al., "Overexpression confers an oncogenic potential upon the <i>eph</i> gene," <i>Oncogene</i> , 1990;5:445-447. |
| | McLaughlin "Functional consequences of coincident expression of EphA receptors and ephrin-A ligands." <i>Neuron.</i> 1999;22(4):636-9. |
| | Michael et al. "Efficient gene-specific expression of cre recombinase in the mouse embryo by targeted insertion of a novel IRES-Cre cassette into endogenous loci." <i>Mech Dev.</i> 1999;85(1-2):35-47. |
| | Miller et al., "The engagement of β_1 integrins on promonocytic cells promotes phosphorylation of Syk and formation of a protein complex containing Lyn and β_1 integrin," <i>Eur. J. Immuno.</i> , 1999;29:1426-1434. |
| | Morrison et al., "Chimeric human antibody molecules: Mouse antigen-binding domains with human constant region domains," <i>Proc. Natl. Acad. Sci. USA</i> , 1984;81:6851-6855. |
| | Munson et al., "LIGAND: A Versatile Computerized Approach for Characterization of Ligand-Binding Systems," <i>Anal. Biochem.</i> , 1980;107:220-239. |
| | Murphy et al., "Epidermal growth factor gene expression in human breast cancer cells: regulation of expression by progestins," <i>Cancer Res.</i> , 1988; 48:4555-4560. |
| | Nose et al., "Expressed recombinant cadherins mediate cell sorting in model systems," <i>Cell</i> , 1988;54:993-1001. |

EXAMINER**Date Considered**

*Examiner: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

**INFORMATION
DISCLOSURE
STATEMENT**

Atty. Docket No.: 290.00090101

Serial No.: 09/640,952

Applicant(s): Kinch et al.

Confirmation No.: 3252

Application Filing Date: 17 August 2000

Group: 1642

Information Disclosure Statement mailed:

24 March 2003

| Examiner Initial | Document Description |
|---------------------|--|
| | O'Brien et al., "A mechanism for trabecular meshwork cell retraction: Ethacrynic acid initiates the dephosphorylation of focal adhesion proteins," <i>Exp. Eye Res.</i> , 1997;65:471-483. |
| | Orsulic et al. "Expression of Eph receptors and ephrins is differentially regulated by E-cadherin." <i>J Cell Sci.</i> 2000;113(Pt 10):1793-802. |
| | Oslo et al., <i>Remington's Pharmaceutical Science</i> , 16 th ed., Mack Publishing Co., 1980: Table of Contents and Cover Page. |
| | Owens et al., "Overexpression of focal adhesion kinase (p125 ^{FAK}) in invasive human tumors," <i>Cancer Res.</i> , 1995;55:2752-2755. |
| | Ozawa et al., "A possible new adhesive site in the cell-adhesion molecule uvomorulin," <i>Mech. Dev.</i> , 1991;33:49-56. |
| | Paine et al., "Characterization of epithelial phenotypes in mortal and immortal human breast cells," <i>Int. J. Cancer</i> , 1992;50:463-473. |
| | Pandey et al., "Role of B61, the ligand for the Eck receptor tyrosine kinase, in TNF- α -induced angiogenesis," <i>Science</i> , 1995; 269:567-569. |
| | Parsons, "Integrin-mediated signaling: regulation by protein tyrosine kinases and small GTP-binding proteins," <i>Curr. Opin. Cell Biol.</i> , 1996;8:146-152. |
| | Patarca "Protein Phosphorylation and Dephosphorylation in Physiologic and Oncologic Processes", <i>Critical ReviewsTM in Oncogenesis</i> , 1996;7:343-432. |
| | Presta "Antibody engineering" <i>Current Op. Struct. Biol.</i> 1992;2:593-596. |
| | Presta et al., "Humanization of an Antibody Directed Against IgE," <i>J. Immunol.</i> , 1993;151:2623. |
| | Rajarathnam et al., "H NMR Studies of Interleukin 8 Analogs: Characterization of the Domains Essential for Functions," <i>Biochemistry</i> , 1994; 33:6623-30. |
| | Riechmann et al., "Reshaping human antibodies for therapy," <i>Nature</i> , 1988; 332:323-327. |
| | Rosenberg, "Principles of Cancer Management: Surgical Oncology", <i>Cancer: Principles and Practice of Oncology, Fifth Edition</i> , V. T. Devita, Jr. et al., Eds., Lippincott-Raven, Philadelphia, 1997:cover page, table of contents and 295-333. |

EXAMINER**Date Considered**

*Examiner: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

**INFORMATION
DISCLOSURE
STATEMENT**

Atty. Docket No.: 290.00090101

Serial No.: 09/640,952

Applicant(s): Kinch et al.

Confirmation No.: 3252

Application Filing Date: 17 August 2000

Group: 1642

Information Disclosure Statement mailed:

24 March 2003

| Initial | | Document Description |
|---------|--|--|
| | | Ruiz et al. "The expression of the receptor-protein tyrosine kinase gene, eck, is highly restricted during early mouse development." <i>Mech Dev.</i> 1994;46(2):87-100. |
| | | Schnolzer et al., "Constructing Proteins by Dovetailing Unprotected Synthetic Peptides: Backbone-Engineered HIV Protease," <i>Science</i> , 1992;256:221-225. |
| | | Sims et al. "A Humanized CD18 Antibody Can Block Function without Cell Destruction" <i>J. Immunol.</i> 1993;151:2296. |
| | | Sliwkowski et al., "Nonclinical Studies Addressing the Mechanism of Action of Trastuzumab (Herceptin)" <i>Seminars in Oncology</i> , 1999; 26:60-70. |
| | | Smith et al. "Cardiac Glycoside-Specific Antibodies in the Treatment of Digitalis Intoxication" <i>Antibodies in Human Diagnosis and Therapy</i> 1977:365-389. |
| | | Southern et al., "Transformation of mammalian cells to antibiotic resistance with a bacterial gene under control of the SV40 early region promoter," <i>J. Mol. Appl. Genet.</i> , 1982;1:327-341. |
| | | Stearns et al., "Human xenograft models for prostate cancer," <i>The Prostate</i> , 1998; 36:56-58. |
| | | Stein et al. "Eph receptors discriminate specific ligand oligomers to determine alternative signaling complexes, attachment, and assembly responses." <i>Genes Dev.</i> 1998 Mar 1;12(5):667-78. |
| | | Stein et al. "Nck recruitment to Eph receptor, EphB1/ELK couples ligand activation to c-JUN kinase, <i>J. Biol. Chem.</i> 1998;273:1303-1308. |
| | | Sulman et al. "ECK, a human EPH-related gene, maps to 1p36.1, a common region of alteration in human cancers." <i>Genomics</i> 1997;40(2):371-4. |
| | | Verhoeven et al., "Reshaping Human Antibodies: Grafting an Antilysozyme Activity," <i>Science</i> , 1988;239:1534-1536. |
| | | Vestweber et al., "Identification of a putative cell adhesion domain of uvomorulin," <i>EMBO J.</i> , 1985;4:3393-3398. |
| | | Vestweber et al., "Rabbit antiserum against a purified surface glycoprotein decompacts mouse preimplanted embryos and reacts with specific adult tissues," <i>Exp. Cell Res.</i> , 1984;152:169-178. |

EXAMINER**Date Considered**

*Examiner: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

**INFORMATION
DISCLOSURE
STATEMENT**

Atty. Docket No.: 290.00090101

Serial No.: 09/640,952

Applicant(s): Kinch et al.

Confirmation No.: 3252

Application Filing Date: 17 August 2000

Group: 1642

Information Disclosure Statement mailed:

24 March 2003

Document Description

| Initial | Document Description |
|---------|---|
| | Vestweber et al., "Some structural and functional aspects of the cell adhesion molecule uvomorulin," <i>Cell Differ.</i> , 1984;15:269-273. |
| | Walker-Daniels et al. "c-Cbl-Dependent EphA2 Protein Degradation Is Induced by Ligand Binding" <i>Mol Cancer Res.</i> 2002 1(1):79-87. |
| | Wendling et al. "Retinoid signaling is essential for patterning the endoderm of the third and fourth pharyngeal arches." <i>Development.</i> 2000;127(8):1553-62. |
| | Zantek et al. "MCF-10A-NeoST: A New Cell System for Studying Cell-ECM and Cell-Cell Interactions in Breast Cancer" <i>Clinical Cancer Research</i> 2001;7:3640-3648. |
| | Zelinski et al. "Estrogen and Myc Negatively Regulate Expression of the EphA2 Tyrosine Kinase" <i>Journal of Cellular Biology</i> 2002;85:714-720. |
| | Zhang et al., "Relative malignant potential of human breast carcinoma cell lines established from pleural effusions and a brain metastasis," <i>Invasion Metastasis</i> , 1991; 11:204-215. |
| | Zhong et al., "Rho-stimulated contractility contributes to the fibroblastic phenotype of ras-transformed epithelial cells," <i>Mol. Biol. Cell.</i> , 1997; 8:2329-2344. |
| | Zisch et al., "Complex formation between EphB2 and Src requires phosphorylation of tyrosine 611 in the EphB2 juxtamembrane region," <i>Oncogene</i> , 1998;16:2657-2670. |
| | Zoller et al., "Oligonucleotide-directed mutagenesis using M13-derived vectors: an efficient and general procedure for the production of point mutations in any fragment of DNA," <i>Nucl. Acids Res.</i> , 1982; 10:6487-6500. |
| | |

EXAMINER**Date Considered**

*Examiner: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.